85-47

BILL NO. AN AMENDED

### COUNTY COUNCIL

OF

## HARFORD COUNTY, MARYLAND

BILL NO. 85-47 (AS AMENDED)

Introduced by	Cou	uncil Presi	ident Hardwi ne County Ex	cke at ecutive	the
Legislative Day	No	85-25		Date	September 10, 1985
				-	
AN EMERGENCY	head Chap STOI Code chai to	ding, [In pter 10, RMWATER Mile, as aminges to the	General], heading, ANAGEMENT, ended; to e existing s ovide for a	SEDIME Sediment of the provide sediment	dments Article I, ONT CONTROL, of out Control AND Harford County of for necessary control law, and iment control law
		By the Cou	uncil, <u>Se</u> j	ptember	10, 1985
Introduced	, read fir	st time, ord	ered posted ar	nd public	hearing scheduled
	on:	October	3, 1935		
	at:	7:00 1			
В	y Order:	Angel	a Thankor	vskig	, Secretary
		PUB	LIC HEARING	,	
	Having	been posted	d and notice o	f time an	d place of hearing and
title of Bill ha					rter, a public hearing
was held on			r 3, 1985		
and concluded o	n	Octobe	r 3, 1985		
			gela Mari	kowsk	, Secretary
	(Brackets law. <u>Und</u> Bill by	indicate ma erlining ind amendment.	TER ADDED TO EX tter deleted fr licates langua Language lir cicken out o	om existi ge added sed throu	ng to qh

amendment.

8

10 11

12

13

9

14 15

17 18

16

20 21

19

22 23

24 25

27 28

26

29 30

31 32 Section 1. Be It Enacted By The County Council of Harford County, Maryland, that Article I, heading, [In General,] SEDIMENT CONTROL, of Chapter 10, heading, Sediment Control AND STORMWATER MANAGE-MENT, of the Harford County Code, as amended, be, and it is hereby repealed and re-enacted with amendments, all to read as follows: Chapter 10. Sediment Control AND STORMWATER MANAGEMENT. Article I. [In General] SEDIMENT CONTROL. Section 10.1. Definitions.

(a) For the purpose of this Article, the following words and phrases shall have the meanings respectively ascribed to them by this section:

[Agreement. The County sediment control agreement authorizing land disturbing activities of less than twenty-two thousand (22,000) square feet and involving less than five hundred (500) cubic yards of earth movement.]

AGREEMENT. THE COUNTY SEDIMENT CONTROL AGREEMENT AUTHORIZ-ING LAND DISTURBING ACTIVITIES BETWEEN ONE THOUSAND FIVE HUNDRED (1,500) AND FIFTEEN THOUSAND (15,000) SQUARE FEET OF DISTURBED AREA AND OR INVOLVING BETWEEN ONE HUNDRED (100) AND FOUR HUNDRED (400) FIVE HUNDRED (500) CUBIC YARDS OF EARTH MOVEMENT.

Agreement Holder. Any person to whom an agreement is issued pursuant to this article.

AGRICULTURAL LAND MANAGEMENT PRACTICES. THOSE METHODS AND PROCEDURES USED IN THE FARMING OF LAND, INCLUDING BUT NOT LIMITED TO: THE PLANTING, THINNING, AND HARVESTING OF CHRISTMAS TREES, SHRUBS, OR ORCHARD TREES, THE CLEARING OF LAND FOR AGRICULTURAL PURPOSES, INCLUDING BUT NOT LIMITED TO: FENCE ROWS, HEDGE ROWS, CREATING NEW FARM FIELDS, OR THE RECLAMATION OF PREVIOUSLY TILLED LAND WHEN ASSOCIATED WITH ON-GOING FARMING OPERATIONS, AND THE CULTIVATION OF LAND IN ORDER TO FURTHER CROP AND LIVESTOCK

PRODUCTION AND CONSERVATION OF RELATED SOIL AND WATER RESOURCES.

COMMERCIAL LOGGING AND TIMBER REMOVAL OPERATIONS MAY NOT BE
CONSIDERED A PART OF THIS DEFINITION.

 [Angle of Repose. The angle between the horizontal and the maximum slope that a soil assumes through natural processes.]

Approved Plan. A set of representational drawings or other documents submitted by an applicant as a prerequisite to obtaining a grading permit and containing such information and specifications as required by the Department and the District under regulations adopted in accordance with established procedures in order to minimize off-site sedimentation from land disturbing activities, and approved by the District as being adequate to meet the requirements of Title 8, Subtitle 11, Natural Resources Article, Annotated Code of Maryland, 1974, and approved by the Department as being adequate to meet the provisions of this Article.

Department. The Department of [Inspections, Licenses and Permits.] PUBLIC WORKS.

[Developer. A person, partnership or corporation constructing more than one (1) house, or one (1) house or building, for occupancy by other than the builder.]

Director. The Director of the Department of [Inspections, Licenses and Permits.] PUBLIC WORKS.

District. The Harford Soil Conservation District.

Erosion. The process by which the land surface is worn by the action of wind [or], water, ice or gravity.

Excavating. Any act by which soil, earth, sand, gravel, rock or any similar material is cut into, dug, quarried, uncovered, removed, displaced, relocated or bulldozed, including the conditions resulting therefrom.

AS AMENUED

Fence, Approved. A permanent, semipermanent, or portable fence not less than forty-eight inches in height, so constructed and so located as approved by the permit, to surround sediment basins, steep excavations or ponding areas where it is necessary for the preservation of the health, safety, and general welfare of the public or necessary to prevent possible point or nonpoint sources of pollution.

 Fill, Filled, Filling. Any act by which soil, earth, sand, gravel, rock or any similar material is deposited, placed, pushed, pulled, or transported, and shall include the conditions resulting therefrom.

Finished Grade. The final grade or elevation of the ground surface, which shall conform to the approved grading plan.

FOREST HARVEST OPERATIONS. THE <u>COMMERCIAL</u> LOGGING OR HARVESTING OF TIMBER BY CUTTING TREES AT OR ABOVE GROUND LEVEL, INCLUDING BUT NOT LIMITED TO, THE ASSOCIATED HAUL ROADS, SKID TRAILS AND STAGING AREAS.

FOREST HARVEST PERMIT. A COUNTY PERMIT AUTHORIZING FOREST HARVEST OPERATIONS WHICH WILL DISTURB LAND IN EXCESS OF FIVE THOUSAND (5,000) SQUARE FEET, OR THE MOVEMENT OF ONE HUNDRED (100) OR MORE CUBIC YARDS OF EARTH.

Grading. Any act by which soil is cleared, stripped, stockpiled, filled, or any combination thereof.

Inspector. The representatives of the Director of the Department of [Inspections, Licenses and Permits] PUBLIC WORKS assigned to approve or disapprove any plans, permits or work, or a representative of the Director of the Department of Public Works who will have sediment control monitoring responsibility on sites where the Department of Public Works inspector has primary inspection responsibility.

Land Disturbing Activity. Any earth movement and land changes which may result in soil erosion from water or wind and the movement of sediments into any waters or waterways or onto any lands in the state, including, but not limited to, tilling, clearing, grading, excavating, stripping, filling and related activities and the covering of land surfaces with an impermeable material.

Natural Ground Surface. The ground surface in its existing state before grading, stripping, excavating or filling and other land disturbing activities commence or continue after the effective date of this act.

[Normal Agricultural Practices. Those devices and procedures utilized in the cultivation of land in order to further crop and livestock production, and conservation of related soil and water resources. Roads or similar access construction for logging and timber removal operations shall not be considered part of this definition.]

PERMANENT BORROW AREA. AN EXCAVATION YIELDING MATERIAL IN EXCESS OF ONE THOUSAND (1,000) CUBIC YARDS, WHICH WILL NOT BE FILLED IN OR RESTORED TO PREVIOUSLY EXISTING CONTOURS. THIS DEFINITION SHALL NOT APPLY TO AREAS WITHIN A SURFACE MINE'S AFFECTED LAND AS DEFINED IN THE NATURAL RESOURCES ARTICLE OF THE ANNOTATED CODE OF MARYLAND.

PERMANENT STABILIZATION. A PRACTICE WHERE SEEDING OR STRUCTURAL METHODS, APPLIED PER THE STANDARDS AND SPECIFICATIONS, RESULT IN A COVER TO PERMANENTLY PREVENT EROSION FROM OCCURRING.

PERMANENT STOCK PILE AREA. AN AREA WHERE MATERIAL IN EXCESS OF ONE THOUSAND (1,000) CUBIC YARDS IS PLACED, AND MATERIAL WILL NOT BE REMOVED OR RESTORED TO THAT AREA'S PREVIOUSLY EXISTING CONTOURS. THIS DEFINITION SHALL NOT APPLY TO AREAS WITHIN A SURFACE MINE'S AFFECTED LAND, AS DEFINED IN THE NATURAL RESOURCES ARTICLE OF THE ANNOTATED CODE OF MARYLAND.

Permit. The County grading permit issued by the Department, authorizing land disturbing activities in excess of [twenty-two thousand (22,000) square feet or moving five hundred (500)] FIFTEEN THOUSAND (15,000) SQUARE FEET OR MOVING FOUR HUNDRED (400) FIVE HUNDRED (500) or more cubic yards or earth in any continuous twelve (12) month period and also in accordance with the requirements in this article.

 Permit Holder. Any person to whom a permit is issued pursuant to this Article.

[Person. Any person, corporation, partnership, joint venture, agency, unincorporated association, municipal corporation, County or State agency within the State or any combination thereof.]

Professional Architect. An architect duly registered by the State to practice professional architecture, [including landscape architects.] IN ACCORDANCE WITH THE PROVISIONS OF ARTICLE 56 OF THE ANNOTATED CODE OF MARYLAND.

Professional Engineer. An engineer duly registered by the State to practice professional engineering under the requirements of Article  $75\ 1/2$  of the Annotated Code of Maryland, 1957, as amended.

Professional Land Surveyor. A person who has been duly registered and licensed under the requirements of Article 75 1/2 of the Annotated Code of Maryland, 1957, as amended.

PROFESSIONAL LANDSCAPE ARCHITECT. A PERSON DULY REGISTERED BY THE STATE TO PRACTICE LANDSCAPE ARCHITECTURE IN ACCORDANCE WITH THE PROVISIONS OF ARTICLE 56 OF THE ANNOTATED CODE OF MARYLAND.

REGISTERED PROFESSIONAL FORESTER. A PERSON DULY REGISTERED UNDER THE REQUIREMENTS OF ARTICLE 56 OF THE ANNOTATED CODE OF MARYLAND.

RESPONSIBLE PERSONNEL. ANY FOREMAN, SUPERINTENDENT, OR PROJECT ENGINEER WHO IS RESPONSIBLE FOR ON-SITE CLEARING AND GRADING OPERATIONS OR SEDIMENT CONTROLS ASSOCIATED WITH EARTH CHANGES OR LAND DISTURBANCES.

Sediment. [Soils or other surface or subsurfaces materials transported by wind or surface water as a product of erosion.]

ANY SOIL OR OTHER SURFACE OR SUBSURFACE MATERIALS TRANSPORTED OR DEPOSITED BY THE ACTION OF WIND, WATER, ICE, GRAVITY, OR ARTIFICIAL MEANS.

Site. Any coterminous lots, tracts or parcels of land, or a series thereof, where grading, excavating or filling is, was, or will be performed.

Slope. The inclined surface of a fill, excavation or natural terrain.

Soil. Any earth, sand, gravel, rock or other similar material.

STANDARDS AND SPECIFICATIONS. THE 1983 CURRENT MARYLAND STANDARDS AND SPECIFICATIONS FOR SOIL EROSION AND SEDIMENT CONTROL (HEREINAFTER REFERRED TO AS "STANDARDS AND SPECIFICATIONS").

Stripping. Any activity which removes the vegetative surface cover, including tree removal, clearing, grubbing and storage or removal of topsoil.

TEMPORARY BORROW AREA. AN EXCAVATION WHICH YIELDS MATERIAL IN EXCESS OF ONE THOUSAND (1,000) CUBIC YARDS WHICH WILL BE FILLED IN OR RESTORED TO PREVIOUSLY EXISTING CONTOURS WITHIN TWO (2) YEARS FROM DATE OF COMMENCEMENT. THIS DEFINITION SHALL NOT APPLY TO AREAS WITHIN A SURFACE MINE'S AFFECTED LAND, AS DEFINED IN THE NATURAL RESOURCES ARTICLE OF THE ANNOTATED CODE OF MARYLAND.

TEMPORARY STABILIZATION. A PRACTICE WHICH IS USED TO PROVIDE A SHORT TERM PROTECTION AGAINST EROSION AS SET FORTH IN THE STANDARDS AND SPECIFICATIONS.

 TEMPORARY STOCKPILE AREA. AN EXCAVATION WHICH YIELDS MATERIAL IN EXCESS OF ONE HUNDRED (100) THOUSAND (1,000) CUBIC YARDS WHICH WILL BE STORED DURING CONSTRUCTION OR BETWEEN PHASES OF CONSTRUCTION AND WILL BE REMOVED AND RESTORED TO PREVIOUSLY EXISTING CONTOURS WITHIN TWO (2) YEARS FROM INITIAL PLACEMENT. THIS DEFINITION SHALL NOT APPLY TO A SURFACE MINE'S AFFECTED LAND, AS DEFINED IN THE NATURAL RESOURCES ARTICLE OF THE ANNOTATED CODE OF MARYLAND.

VARIANCE. A MODIFICATION OF THE CRITERIA SET FORTH IN THE STANDARDS AND SPECIFICATIONS.

Watercourse or Drainageway. Any natural or artificial watercourse, including, but not limited to, streams, rivers, creeks, ditches, channels, canals conduits, culverts, drains, waterways, gullies, ravines or washes, in which water flows in a definite direction or course, either continuously or intermittently, and including any area adjacent thereto which is subject to inundation by reason of overflow or floodwater.

WETLANDS.--AN-AREA-THAT-HAS-SATURATED-SOILS-OR-PERIODIC-HIGH GROUND WATER LEVELS AND VEGETATION ADAPTED TO WET CONDITIONS AND PERIODIC-FLOODING.

Section 10-2. Permits and Agreements.

- (a) No person shall engage in any land disturbing activity over [twenty-two thousand (22,000)] FIFTEEN THOUSAND (15,000) square feet or moving more than [five hundred (500)] FOUR HUNDRED (400) FIVE HUNDRED (500) cubic yards of earth in any continuous twelve (12) month period, without first obtaining a permit from the [Department of Inspections, Licenses and Permits] COUNTY, except as provided for in this Article.
- (b) No person shall engage in any land disturbing activity less than [twenty-two thousand (22,000)] FIFTEEN THOUSAND (15,000) square feet or less than [five hundred (500)] FOUR HUNDRED (400) FIVE HUNDRED (500) cubic yards of earth movement in any continuous

twelve (12) month period without first executing a sediment control agreement [from] WITH the [Department of Inspections, Licenses and Permits] COUNTY, except as provided for in this Article.

- (c) NO PERSON SHALL ENGAGE IN ANY LAND DISTURBING ACTIVITY OVER FIVE THOUSAND (5,000) SQUARE FEET OR THE MOVEMENT OF ONE HUNDRED (100) OR MORE CUBIC YARDS OF EARTH WHEN ASSOCIATED WITH A FOREST HARVEST OPERATION, DURING ANY CONTINUOUS TWELVE (12) MONTH PERIOD, WITHOUT FIRST OBTAINING A FOREST HARVEST PERMIT FROM THE COUNTY, EXCEPT AS PROVIDED FOR IN THIS ARTICLE.
- [(c)] (d) Any land disturbing activity must comply with Harford County's stormwater control ordinance, Harford County Code Chapter 10, Article II.
- [(d)] (e) Nothing set forth in this Article shall be construed to conflict with Title 8, Subtitle 11, Natural Resources Article, Annotated Code of Maryland, [1974,] as amended. As provided by the Annotated Code of Maryland, any individual or group of individuals can be held responsible for the pollution of State waters regardless of any exemption clause included in this Article.
- [(e)] (f) No permit , FOREST HARVEST PERMIT, or agreement shall be required under this Article for the following:
- (1) [Normal Agricultural Practices.] AGRICULTURAL LAND MANAGEMENT PRACTICES.
- (2) Individual private septic systems which do not alter the natural terrain.
- [(3) Authorized Harford County capital movement and public works projects; provided that sediment and erosion control measures have been and are being employed in accordance with an approved plan for grading, erosion and sediment control approved by the District.]

14

28

25

32

- Grading and trenching for utility installations upon sites covered by an approved sediment control plan and grading permit, provided, however, that any erosion or sediment control measures, including vegetative measures that are disturbed by a utility installation must be re-established by the end of each work day.
- (4) Any "affected land" area (as defined in the Natural Resources Article of the Annotated Code of Maryland) of mining operations for which a surface mining permit has been issued by the State of Maryland Department of Natural Resources; provided sediment and erosion control measures are employed to protect against off-site damage in accordance with the plan approved by the District and filed with the [Department of Inspections, Licenses and Permits of Harford] County.
- [Minor] Land disturbing activities of less than [five hundred (500)] ONE THOUSAND FIVE HUNDRED (1,500) square feet and OR involving less than [twenty (20)] ONE HUNDRED (100) cubic yards of earth movement.
- (6) CLEARING OR GRADING ACTIVITIES THAT ARE SUBJECT EXCLUSIVELY TO STATE APPROVAL AND ENFORCEMENT UNDER STATE LAW AND REGULATIONS.
- (7) THE CUTTING OF PAULOWNIA TREES OR VENEER LOGS, PROVIDED THESE ACTIVITIES DO NOT CAUSE LAND DISTURBANCE GREATER THAN FIVE THOUSAND (5,000) SQUARE FEET OR THE MOVEMENT OF EARTH GREATER THAN ONE HUNDRED (100) CUBIC YARDS.
- (8) THE CUTTING OF TREES ON PRIVATE PROPERTY FOR PERSONAL USE BY THE PROPERTY OWNER, PROVIDED THIS ACTIVITY DOES NOT CAUSE LAND DISTURBANCE GREATER THAN FIVE THOUSAND (5,000) SQUARE FEET OR THE MOVEMENT OF EARTH GREATER THAN ONE HUNDRED (100) CUBIC YARDS.
- THE CONSTRUCTION OF AGRICULTURAL STRUCTURES OR THE (9) CONSTRUCTION OF SINGLE-FAMILY RESIDENCES OR THEIR ACCESSORY BUILDINGS ON LOTS OF TWO (2) ACRES OR MORE.

- (10) CUTTING OF TREES FOR FIREWOOD, PROVIDED THIS ACTIVITY

  DOES NOT CAUSE LAND DISTURBANCE GREATER THAN FIVE THOUSAND (5,000)

  SQUARE FEET OR THE MOVEMENT OF EARTH GREATER THAN ONE HUNDRED (100)

  CUBIC YARDS.
- (11) FOREST HARVEST OPERATIONS INVOLVING LESS THAN FIVE THOUSAND (5,000) SQUARE FEET OF LAND DISTURBANCE OR LESS THAN ONE HUNDRED (100) CUBIC YARDS OF EARTH MOVEMENT.
- (12) FOREST HARVEST OPERATIONS WITH A VALID FOREST HARVEST PERMIT ARE EXEMPT FROM NEEDING A GRADING PERMIT OR SEDIMENT CONTROL AGREEMENT.
- (g) COUNTY CAPITAL IMPROVEMENT PROJECTS THAT HAVE AN EROSION AND SEDIMENT CONTROL PLAN APPROVED BY THE DISTRICT ARE REQUIRED TO APPLY FOR A PERMIT; HOWEVER, THE REQUIRED FEE SHALL BE WAIVED. BONDING AND INSURANCE REQUIREMENTS AS SET FORTH BY THIS ARTICLE SHALL BE WAIVED, PROVIDED THE PROJECT OR PROJECT CONTRACTOR HAS SUFFICIENT BOND AND/OR INSURANCE AS REQUIRED BY THE COUNTY.
- (h) STATE PERMITTED RUBBLE FILLS OR LANDFILLS SHALL APPLY FOR A GRADING PERMIT, HOWEVER, A BOND SHALL NOT BE REQUIRED WHEN A BOND HAS BEEN POSTED WITH THE STATE AND IS OBLIGATED TO THE COUNTY FOR SUCH ACTIVITIES.
- [(f)] (h) (i) Except as provided for above, exemption from obtaining permit or agreement does not exempt the projects listed in paragraphs (1), (2), (3), (4), (5), and (6), (7), (8), (9), (10), AND (11) of Subsection (e) (f) of this Section from other provisions of this Article, including inspection, EXCEPT SUCH PROJECTS COVERED UNDER PARAGRAPH (5) (6) OF SUBSECTION (e) (f) WHICH ARE SUBJECT TO STATE INSPECTION AND ENFORCEMENT. However, exemption from obtaining a permit also exempts the permit holder from the bonding and liability insurance requirements.

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

- To obtain a permit for land disturbing activity involving more than [five hundred (500)] FOUR HUNDRED (400) FIVE HUNDRED (500) cubic yards of earth movements, in any continuous twelve (12) month period and OR involving more than [twenty-two thousand (22,000)] FIFTEEN THOUSAND (15,000) square feet of disturbed surface area, except as exempted above, an applicant shall first file an application therefor, in writing, upon forms furnished by the Department. The application must be signed by the owner of the property, upon which the land disturbing activity is to be performed, or his authorized agent. If the owner is a corporation, the application must be signed by the president or vice president, or an authorized employee and attested by the secretary or assistant secretary. The application shall be accompanied by the permit fee and scale plans or drawings, including a grading, erosion and sediment control plan, approval of the State Department of Natural Resources where applicable and a bond as required in Section 10-12.
- (b) The plans accompanying the application shall be prepared and certified by a professional engineer, land surveyor, including landscape architects or architect. The Standards and Specifications [for soil erosion and sediment control in developing areas as approved by the Water Resources Administration] shall serve as the [official] standardS for erosion and sediment control in Harford County FOR ACTIVITIES OTHER THAN FOREST HARVEST OPERATIONS. The plans shall contain the following:
- (1) A vicinity sketch and boundary line delineation of the site for which the permit is sought and on which the work is to be performed.
- (2) Location of any buildings, structures, utilities, sewers, water, and storm drains on the site where the work is to be performed.

8

17

18

21

26

29

32

topography, drainage and structures.

(3) Relationship of the site to surrounding land: existing

- Elevations and/or contours, dimensions, location and extent of all work proposed to be done, and the existing elevations and/or contours of the land.
- (5) A certification of the quantity of excavation and fill involved; and, of the area affected by the land disturbing activity in square feet, that being the total site area less that area to remain undisturbed and certified as having effective erosion resistant ground cover.
- (6) Detailed plans of all drainage provisions, retaining walls, cribbing, [vegetative practices,] erosion, and sediment control measures, location of approved fences around sediment basins, steep excavations or ponding areas and other protective devices to be constructed in connection with, or as a part of, the proposed work, together with a map showing the drainage area of land tributary to the site, and estimated cubic feet per second runoff of the area served by any drainage system.
- (7) A timing schedule and sequence indicating anticipated starting and completion dates of the development sequence, stripping and/or clearing, rough grading and construction, final grading and vegetative establishment maintenance and the time of exposure of each area prior to the completion of effective erosion and sediment control measures.
- A clear and definite delineation of the limits of work; i.e., showing areas to remain undisturbed and showing areas to be disturbed.
- VEGETATIVE STABILIZATION PRACTICES FOR PERMANENT AND TEMPORARY STABILIZATION.
- (10) Other plans, drawings or materials and information as required by the Department or the District.

- (11) Special consideration [shall be] given to preservation of wetlands. As a minimum the following shall be adhered to:
- a. The vegetative tidal bank stabilization procedures listed in the standards and specifications for soil erosion and sediment control in developing areas as approved by the Water Resources Administration.
- b. Buffer areas of seventy-five (75) feet shall be preserved or installed in addition to the vegetative tidal bank stabilization.
- c. Grading of wetlands shall be prohibited unless instituted to assure protection as addressed above.
- d. Fill material shall be kept out of the wetlands unless permission is granted by a wetland license or permit from the State Board of Public Works or Department of Natural Resources, respectively.
- e. Direct storm drainage discharge into wetlands (private or state) shall be reduced to four (4) feet per second.
  - (12) THE FOLLOWING STATEMENTS OR NOTES:
- a. FOLLOWING INITIAL SOIL DISTURBANCE OR RE-DISTURBANCE, PERMANENT OR TEMPORARY STABILIZATION SHALL BE COMPLETED WITHIN:
- 1. SEVEN (7) CALENDAR DAYS AS TO THE SURFACE OF ALL PERIMETER DIKES, SWALES, DITCHES, PERIMETER SLOPES, AND ALL SLOPES GREATER THAN THREE (3) HORIZONTAL TO ONE (1) VERTICAL (3:1);
- 2. FOURTEEN (14) DAYS AS TO ALL OTHER DISTURBED OR GRADED AREAS ON THE PROJECT SITE.

THE REQUIREMENTS OF SUBPARAGRAPH (1) AND (2) DO NOT APPLY TO THOSE AREAS WHICH ARE SHOWN DESIGNATED ON THE PLAN AND ARE CURRENTLY BEING USED FOR MATERIAL STORAGE AND FOR WHICH PERIMETER CONTROLS ARE PROVIDED, OR FOR THOSE AREAS ON WHICH ACTUAL CONSTRUCTION ACTIVITIES ARE CURRENTLY BEING PERFORMED OR TO INTERIOR AREAS OF A SURFACE MINE SITE WHERE THE STABILIZATION MATERIAL WOULD CONTAMINATE THE RECOVERABLE RESOURCE. MAINTENANCE

 SHALL BE PERFORMED AS NECESSARY TO ENSURE THAT THE STABILIZED AREAS CONTINUOUSLY MEET THE APPROPRIATE REQUIREMENTS OF THE \$1983 CURRENT MARYLAND STANDARDS AND SPECIFICATIONS FOR SOIL EROSION AND SEDIMENT CONTROL.

- b. THE PERSON PERFORMING CONSTRUCTION SHALL REQUEST THAT THE HARFORD COUNTY DEPARTMENT OF PUBLIC WORKS SEDIMENT CONTROL INSPECTOR REVIEW AND APPROVE WORK COMPLETED AT THE FOLLOWING STAGES OF CONSTRUCTION ON ALL SITES WITH DISTURBED AREAS IN EXCESS OF TWO (2) ACRES.
- 1. UPON COMPLETION OF INSTALLATION OF PERIMETER EROSION AND SEDIMENT CONTROLS, BUT BEFORE PROCEEDING WITH ANY OTHER EARTH DISTURBANCE OR GRADING. OTHER BUILDING OR GRADING INSPECTION APPROVALS MAY NOT BE AUTHORIZED UNTIL THIS INITIAL APPROVAL BY THE COUNTY IS MADE.
- 2. UPON FINAL STABILIZATION, BUT BEFORE REMOVAL OF SEDIMENT CONTROLS.
- C. A STATEMENT OF CERTIFICATION OF TRAINING FOR RESPONSIBLE PERSONNEL, SIGNED BY THE OWNER OR DEVELOPER, SHALL STATE:
- 1. ANY CLEARING, GRADING, CONSTRUCTION, DEVELOPMENT, OR ALL OF THESE WILL BE DONE PURSUANT TO THIS PLAN AND THAT RESPONSIBLE PERSONNEL INVOLVED IN THE CONSTRUCTION PROJECT WILL HAVE A CERTIFICATE OF TRAINING AT A DEPARTMENT OF NATURAL RESOURCES APPROVED TRAINING PROGRAM FOR THE CONTROL OF SEDIMENT AND EROSION BEFORE BEGINNING THE PROJECT.
- 2. THE CERTIFICATION OF TRAINING FOR RESPONSIBLE PERSONNEL REQUIREMENT MAY BE WAIVED BY THE DISTRICT FOR ANY PROJECT INVOLVING FOUR (4) OR FEWER RESIDENTIAL UNITS.

29

30

31

32

- [(f)] d. The Department may waive the requirement for scale plans or drawings if it finds that the information on the application is sufficient to show that the work will conform to the requirements of this Article; provided that no such waiver shall be construed as waiving the requirements of the District.
- [(g)] e. A separate permit shall be required for each separate noncontiquous site.
- [(h)] f. No permit shall be transferable without the written consent of the Department.
- [(i)] g. No permit shall be issued for land disturbance which is for building or development not permitted by existing zoning, special exceptions and variances applicable to the land.
- h. VARIANCES. THE DISTRICT MAY GRANT A WRITTEN VARIANCE FROM THE REQUIREMENTS OF THE STANDARDS AND SPECIFICATIONS IF STRICT ADHERENCE TO THE SPECIFICATIONS WILL RESULT IN UNNECESSARY HARDSHIP AND NOT FULFILL THE INTENT OF THIS ORDINANCE. DEVELOPER SHALL SUBMIT A WRITTEN REQUEST FOR A VARIANCE TO THE DISTRICT. THE REQUEST SHALL STATE THE SPECIFIC VARIANCES SOUGHT AND REASONS FOR REQUESTING THE VARIANCE. THE DISTRICT SHALL NOT GRANT A VARIANCE UNLESS AND UNTIL SUFFICIENT SPECIFIC REASONS JUSTIFYING THE VARIANCE ARE PROVIDED BY THE APPLICANT. Section 10-4. Application for Sediment Control Agreement.
- (a) To obtain a sediment control agreement, for movement of less than [five hundred (500)] FOUR HUNDRED (400) FIVE HUNDRED (500) cubic yards of earth or to disturb less than [twenty-two thousand (22,000)] FIFTEEN THOUSAND (15,000) square feet, an applicant shall first complete an agreement in writing, upon forms furnished by the Department. The agreement must be signed by the owner of the property upon which the land disturbing activity is If the owner is a to be performed, or his authorized agent. corporation, the agreement must be signed by the President, Vice-President, or an authorized employee and attested by the

 Secretary or Assistant Secretary. The application shall be accompanied by the agreement fee, and plans or drawings for the site.

- (b) Any land disturbing activity must comply with Harford County Stormwater Control Ordinance, Harford County Code Chapter 10, Article II.
- (c) The plans accompanying the agreement shall be neatly and clearly drawn AND FURNISHED by the applicant. The Standards and Specifications [for soil erosion and sediment control in developing areas as approved by the Water Resources Administration] shall serve as the official standard for erosion and sediment control for Harford County FOR ACTIVITIES OTHER THAN FOREST HARVEST OPERATIONS. The plans shall contain the following:
- (1) A vicinity sketch and boundary line delineation of the site for which the agreement is sought and on which the work is to be performed.
- (2) Location of any buildings, structures, utilities sewers, water and storm drains, on the site where the work is to be performed.
  - (3) Location of proposed construction.
  - (4) Location of proposed sediment control.
  - (5) Existing and proposed drainage.
- (d) The Department shall waive the requirements for scale plans for drawings if it finds that the information on the agreement is sufficient to show that the work will conform to the requirements of this Article, provided that no such waiver shall be construed as waiving the requirements of the District.
- [(e) A separate agreement shall be required for each separate building site or area of less than twenty-two thousand (22,000) square feet of disturbed earth or the moving of less than five hundred (500) cubic yards of earth. In no case may the

applicant or his representative apply for more than three (3) agreements in any twelve (12) month period when the agreements apply to contiguously located building sites.]

- (e) NO PERSON SHALL OBTAIN AN AGREEMENT FOR DEVELOPMENT WHEN A CONTIGUOUS SITE IS BEING DEVELOPED BY THAT SAME PERSON UNDER ANOTHER SEDIMENT CONTROL AGREEMENT, UNLESS THAT PERSON HAS FIRST OBTAINED AN APPROVED EROSION AND SEDIMENT CONTROL PLAN MEETING-THE-CRITERIA-SET-FORTH-IN-SECTION-10-3-OF-THIS-ARTICLE.
- (f) (e) No agreement shall be transferable without the written consent of the Department.
- (g) (f) No agreement shall be issued for land disturbance in conjunction with building or development not permitted by existing zoning.

SECTION 10-5. APPLICATION FOR A FOREST HARVEST PERMIT.

- (a) TO OBTAIN A FOREST HARVEST PERMIT FOR MOVEMENT OF MORE THAN ONE HUNDRED (100) CUBIC YARDS OF EARTH OR TO DISTURB MORE THAN FIVE THOUSAND (5,000) SQUARE FEET, IN CONJUNCTION WITH A FOREST HARVEST OPERATION, AN APPLICANT SHALL FIRST COMPLETE AN APPLICATION, IN WRITING, UPON FORMS FURNISHED BY THE DEPARTMENT. THE APPLICATION MUST BE SIGNED BY THE OWNER OF THE PROPERTY UPON WHICH THE LAND DISTURBING ACTIVITY AND FOREST HARVEST OPERATION IS TO BE PERFORMED, OR HIS AUTHORIZED AGENT. IF THE OWNER IS A CORPORATION, THE AGREEMENT MUST BE SIGNED BY THE PRESIDENT, VICE-PRESIDENT, OR AN AUTHORIZED OFFICER AND ATTESTED BY THE SECRETARY OR ASSISTANT SECRETARY. THE APPLICATION SHALL BE ACCOMPANIED BY THE PERMIT FEE AND STANDARD PLANS AS REQUIRED BY THE STANDARD PLAN OR THE NATURAL RESOURCES DISTRICT LAW.
- (b) ANY LAND DISTURBING ACTIVITY MUST COMPLY WITH HARFORD COUNTY STORMWATER CONTROL ORDINANCE, HARFORD COUNTY CODE CHAPTER 10, ARTICLE II.

- (c) THE GUIDELINES, STANDARDS AND SPECIFICATIONS FOR EROSION AND SEDIMENT CONTROL ON FOREST HARVEST OPERATIONS SHALL SERVE AS THE OFFICIAL STANDARD FOR EROSION AND SEDIMENT CONTROL INVOLVING FOREST HARVEST OPERATIONS IN HARFORD COUNTY.
- (d) A STANDARD EROSION AND SEDIMENT CONTROL PLAN FOR FOREST HARVEST OPERATIONS SHALL ACCOMPANY THE PERMIT APPLICATION IF THE FOLLOWING CONDITIONS CAN BE MET:
  - (1) ROAD CUTS OR FILLS ARE LESS THAN THREE (3) FEET.
- (2) GRADES FOR HAUL ROADS AND SKID TRAIN ARE LESS THAN FIFTEEN (15) PERCENT.
- $\hbox{(3)} \quad \text{LANDINGS ARE LOCATED ON SLOPES LESS THAN TEN (10)} \\ \text{PERCENT.}$
- (e) WHEN THE CONDITION OF SECTION 10-5 OF THIS ARTICLE CANNOT BE MET, THEN A PLAN PREPARED BY A REGISTERED PROFESSIONAL FORESTER AND APPROVED BY THE DISTRICT SHALL ACCOMPANY THIS APPLICATION. THESE PLANS SHALL CONTAIN THE FOLLOWING:
- (1) A VICINITY SKETCH AND BOUNDARY LINE DELINEATION OF THE SITE FOR WHICH THE PERMIT IS SOUGHT AND ON WHICH THE WORK IS TO BE PERFORMED.
- (2) LOCATION OF ALL HAUL ROADS, SKID TRAILS, AND STAGING/LANDING AREAS.
- (3) DETAILED PLANS FOR SEDIMENT CONTROLS IN AREAS NOT ABLE TO BE COVERED BY A STANDARD PLAN.
- (4) OTHER PLANS, DRAWINGS OR MATERIALS AND INFORMATION AS REQUIRED BY THE DEPARTMENT OR THE DISTRICT.
- (f) A SEPARATE PERMIT SHALL BE REQUIRED FOR EACH SEPARATE FOREST HARVEST OPERATION DISTURBING AREA OF MORE THAN FIVE THOUSAND (5,000) SQUARE FEET OF EARTH OR THE MOVING OF MORE THAN ONE HUNDRED (100) CUBIC YARDS OF EARTH.
- (g) NO PERMIT SHALL BE TRANSFERABLE WITHOUT THE WRITTEN CONSENT OF THE DEPARTMENT.

Section 10-[5]6. Permits - Referral of Plans.

- (a) Prior to the issuance of a permit, a copy of the plan shall be referred to the District for review and approval of the proposed erosion and sediment control measures, and shall be referred to the Department of Natural Resources where required by State law. The Department of Natural Resources and the District shall, within thirty (30) days, notify the Department of their recommendations and/or approval so that the applicant may be notified in a timely manner.
- (b) If a permit has not been issued within one (1) year of approval of plans, the plans shall be subject to an updated review by the District.

Section 10-[6]7. Permits - Modification of Plans.

- (a) Major modifications of the approved plans shall be submitted to the Department and reprocessed in the same manner as the original plan and referred in accordance with Section 10-6 of this Article where:
- (1) Inspection has revealed the inadequacy of the plan to accomplish the erosion and sediment objectives of the plan, and appropriate modifications to correct the deficiency of the plan are approved by the District.
- (2) The person responsible for carrying out the approved plans finds that, because of changed circumstances or for other reasons, the approved plan cannot be effectively carried out and proposes revisions to the plan that are consistent with the requirements of this ordnance and rules and regulations promulgated pursuant thereto, and the District and Department approve the proposed revisions.
- (3) The Department may, with both permit holders and agreement holders, in emergency situations and at its discretion, order repairs or modifications in order to protect stream channels, other properties or the general public from damage, to

remain in effect until such modifications or revisions to the plan shall have been approved and implemented. Prior approval by the State Water Resources Administration may be required for work in the 100 Year Flood Plain.

- [(b) Field modifications of a minor nature where such changes do not render the plan ineffective may be authorized by he Department; provided that written authorization is given to the person performing work pursuant to this Article with a copy forwarded in a timely manner to the District.]
- (b) THE INSPECTOR MAY APPROVE MINOR MODIFICATIONS TO APPROVED EROSION AND SEDIMENT CONTROL PLANS IN THE FIELD IF DOCUMENTED ON A FIELD INSPECTION REPORT. THE DISTRICT SHALL, IN CONJUNCTION WITH THE DEPARTMENT, DEVELOP A LIST OF ALLOWABLE FIELD MODIFICATIONS FOR USE BY THE INSPECTOR.

Section 10-[7]8. Fees.

The Department shall propose legislation establishing permit, agreement, and inspection fees, and setting nonrefundable fee schedules for filing, additional submissions and permit or agreement extensions in an amount not to exceed the reasonable cost of administering and enforcing this Article. Such fees may be based upon reasonable classification of land disturbing activities.

Section 10-[8]9. Permits - Conditions PRIOR TO AND Upon Issuance.

- (a) PERSONS WHO PROPOSE LAND DISTURBING ACTIVITIES IN EXCESS OF FIVE (5) ACRES AND THE EXCAVATION AND FILL IS UNBALANCED BY MORE THAN ONE THOUSAND (1,000) CUBIC YARDS, THE DEVELOPER SHALL SUBMIT TO THE DEPARTMENT, PRIOR TO ISSUANCE OF A GRADING PERMIT, A DETAILED GRADING STUDY TO INCLUDE:
- (1) PLAN WHICH DISPLAYS EXISTING AND PROPOSED CONTOURS OF A SCALE NOT SMALLER THAN 1" = 50'.
- (2) COMPUTATION OF QUANTITIES OF CUTS AND FILLS NORMALLY TO BE INCLUDED IN A GRADING TABLE.

8

9

12

16

17

25

26

21

30 31 32

- STOCKPILE LOCATIONS.
- (4) BORROW/STOCKPILES SITES IDENTIFICATION AS TEMPORARY OR PERMANENT.

(3) IDENTIFICATION OF POTENTIAL ONSITE/OFFSITE BORROW OR

- (5) THESE SITES SHALL ALSO BE SUBJECT TO THE STOCKPILE AND BORROW AREA REQUIREMENTS OF SECTION 10-18 BELOW.
- THOSE PROJECTS HAVING PRELIMINARY PLAN APPROVAL BEFORE THE EFFECTIVE DATE OF THIS ARTICLE, AND THOSE PROJECTS RECEIVING PRELIMINARY PLAN APPROVAL BY APRIL 30, 1986 AND OBTAIN-ING A GRADING PERMIT BY OCTOBER 31, 1986 SHALL BE EXEMPT FROM SUBSECTION (a) OF THIS SECTION.
- [(a)] (b) In granting any permit or agreement, the Director may attach such conditions thereto as he may deem reasonably necessary to prevent sedimentation or pollution to public or private property or any sewer, storm drain or watercourse, to prevent the operation from being conducted in a manner hazardous to life or property, or in a manner likely to create a nuisance or source of pollution. Such conditions may include, but are not limited to, the erection or installation of walls, drains, dams and structures, plantings, erosion and sediment control measures or devices, furnishing necessary easements and a specified method of performing the work which shall be identified on the sediment control plan submitted for approval. No permit shall be issued until a sediment control plan is approved by the District, and the owner certifies that all land disturbing activities shall be performed pursuant to the sediment control plan and modifications incorporated pursuant to Section 10-7 herein. The approved plan shall be a condition of and part of the permit. No person shall violate any such conditions so imposed.

14

15

20

29

30

25

(c) IT SHALL BE A CONDITION OF EVERY GRADING PERMIT, SEDIMENT CONTROL AGREEMENT, OR FOREST HARVEST PERMIT THAT THE DEPARTMENT HAS THE RIGHT TO ENTER PROPERTY PERIODICALLY TO INSPECT FOR COMPLIANCE WITH THIS ORDINANCE.

Section 10-[9]10. Permits - Expiration; Extensions.

- (a) Every permit issued hereunder shall expire at the end of the period of time set out in the permit. However, no permit period shall exceed twelve (12) months. The permit holder shall fully perform and complete all of the work required to be done within one year after the date of issuance, unless specified otherwise by the Department for good cause shown. If the permit holder shall be unable to complete the work within the specified time, he shall, within not less than thirty (30) days prior to expiration of the permit, present in writing to the Department a request for an extension of time, not to exceed six (6) months, setting forth therein the reasons for the requested extension. If, in the discretion of the Director, such an extension is warranted, he may grant additional time for the completion of the work for an additional fee that shall be one-twelfth (1/12) of the original fee for each month or part of a month that the extension is granted. Where the Director determines that the extension of time will require a substantial modification of the grading, erosion and sediment control plan, any extension of a permit shall be subject to approval of a revised sediment control plan by the District.
- (b) The sediment control agreement shall stay in effect for as long as the accompanying building permit is in effect. If the agreement is not accompanied by a building permit, then the agreement shall expire one (1) year from date of issuance.
- (c) A FOREST HARVEST PERMIT SHALL EXPIRE TWELVE (12) MONTHS FROM DATE OF ISSUANCE.

85-47

AS AMENDED

10

11

12

17

24

21

29

Section 10-[10]11. [Permits -] ENFORCEMENT PROCEDURES AND PERMIT Revocation or Suspension.

- (a) ENFORCEMENT PROCEDURES.
- (1) WHEN THE DEPARTMENT OR ITS INSPECTOR DETERMINES THAT A VIOLATION OF THE APPROVED EROSION AND SEDIMENT CONTROL PLAN, THE PERMIT, AGREEMENT, OR THE PROVISIONS OF THIS ARTICLE HAS OCCURRED, THE INSPECTOR SHALL NOTIFY THE ON-SITE PERSONNEL OR THE PERMITTEE, IN WRITING OF THE VIOLATION, DESCRIBE THE REQUIRED CORRECTIVE ACTION, AND THE TIME PERIOD IN WHICH TO HAVE THE VIOLATION CORRECTED.
- IF THE VIOLATION PERSISTS AFTER THE DATE SPECIFIED FOR CORRECTIVE ACTION IN THE NOTICE OF VIOLATION, THE DEPARTMENT SHALL STOP WORK ON THE SITE BY THE ISSUANCE OF A STOP WORK ORDER. THE DEPARTMENT SHALL DETERMINE THE EXTENT TO WHICH WORK IS STOPPED, WHICH MAY INCLUDE ALL WORK ON THE SITE EXCEPT THAT WORK NECESSARY TO CORRECT THE VIOLATION.
- (3) IF REASONABLE EFFORTS TO CORRECT THE VIOLATION ARE NOT UNDERTAKEN BY THE AGREEMENT OR PERMIT HOLDER, THE DEPARTMENT SHALL REFER THE VIOLATION FOR LEGAL ACTION.
- (4) THE DEPARTMENT MAY DENY THE ISSUANCE OF ANY PERMITS TO AN APPLICANT WHEN IT DETERMINES THAT THE APPLICANT IS NOT IN COMPLIANCE WITH THE PROVISIONS OF AN AGREEMENT OR GRADING PERMIT OR APPROVED EROSION AND SEDIMENT CONTROL PLAN ON ANY SITE.
- (5) ANY STEP IN THE ENFORCEMENT PROCESS MAY BE TAKEN AT ANY TIME, DEPENDING UPON THE SEVERITY OF THE VIOLATION.
- IF A PERSON IS WORKING WITHOUT A PERMIT, THE DEPARTMENT SHALL STOP WORK ON THE SITE, EXCEPT THAT ACTIVITY NECESSARY TO PROVIDE EROSION AND SEDIMENT CONTROL.
- [(a)](b) Any permit or agreement issued under this Article may be revoked or suspended by the Director, after notice, for:
- (1) Violation of the plan or of any other condition of the permit or agreement.

85-47 AS AMERIDED

### AS AMENUED

(2) Violation of any provision of this ordinance or any other applicable law, ordinance, rule or regulation relating to the work.

- (3) Existence of any condition or the doing of any act constituting or creating a nuisance, hazard or endangering human life or the property of others.
- (4) NONCOMPLIANCE WITH VIOLATION NOTICE(S) OR STOP WORK ORDER(S) ISSUED.
- [(b) In addition to the authority set forth i Subsection (a), the Director and/or inspector may post a site with an order directing the permit holder or agreement holder to cease all land disturbing activity being performed under permits or agreements issued under this ordinance when such activity does not conform to the specifications, including modifications thereof, of an approved plan or other conditions of the permit issued hereunder, provided that:]
- (c) STOP WORK ORDERS MAY BE ISSUED, PROVIDED THE FOLLOWING ITEMS ARE MET:
- (1) Written notice to comply will be furnished within seven (7) days to the permit holder or agreement holder by regular mail and addressed to the address of the permit holder or agreement holder as stated on the application for a permit or agreement.
- (2) The notice includes the nature of the corrective measures required and the time within which corrections shall be made.
- [(d) Nothing contained in this section shall be interpreted as restricting the Department from proceeding directly with a cease and desist order or with alternative enforcement procedure as set forth in Section 10-20.5.]

31

32

IF CONDITIONS WARRANT, NO NOTICE OF VIOLATION IS (d) NECESSARY, AND THE DEPARTMENT MAY PROCEED DIRECTLY WITH A STOP WORK ORDER OR WITH AN ALTERNATIVE ENFORCEMENT PROCEDURE AS SET FORTH IN SECTION 10-20.5.

Section 10-[11]12. Performance Bond.

The Director shall, before issuing a permit, require a cash or corporate bond or other approved security in the form and manner [prescribed by] ACCEPTABLE TO the County [Attorney], conditioned upon the faithful performance of the conditions in the permit and soil erosion and sediment control measures specified in the permit within the time specified by the Director. Collateral required by this section shall be three hundred dollars (\$300.00) plus three cents (\$.03) per square foot of the area included in the land disturbing activity, plus such amounts as deemed necessary by the Director to secure the cost of improvements required in approved plans. A corporate bond shall be maintained and renewed annually and shall be executed by a surety or quarantee company qualified to transact business in the State of Maryland. A cash bond shall be deposited with the Treasurer of Harford County, who shall give his receipt therefor, reciting that the cash has been deposited in compliance with and subject to the provisions of this section. The bond or approved security shall obligate the principal, his executors, administrators, successors and assigns, jointly and severally with the surety and shall inure to the benefit of the County, its officers, employees and to any person aggrieved by the principal's failure to comply with the conditions thereof. The principal and the surety shall, under the bond or approved security, continue to be firmly bound under a continuing obligation for the payment of all necessary costs and expenses or liabilities which may be incurred or expended by the Department to meet the minimum requirements of this Article.

28

29

30

31

32

<del>(b)</del> THE DIRECTOR SHALL, BEFORE ISSUING A FOREST HARVEST PERMIT FOR AN AREA LARGER THAN FIFTY (50) ACRES TO BE HARVESTED. REOUIRE-A-CASH-OR-CORPORATE-BOND-OR-OTHER-APPROVED-SECURITY-IN-THE FORM AND MANNER ACCEPTABLE TO THE COUNTY, CONDITIONED UPON THE FAITHFUL PERFORMANCE OF THE CONDITIONS IN THE PERMIT AND SOIL EROSION AND SEDIMENT CONTROL MEASURES SPECIFIED IN THE PERMIT AND PLANS WITHIN THE TIME SPECIFIED BY THE DIRECTOR. REQUIRED-BY-THIS-SECTION-SHALL-BE-TWENTY-DOLLARS-(\$20:00)-PER-ACRE OF-THE-AREA-TO-BE-HARVESTED--PLUS-SUCH-AMOUNTS-AS-BEEMED-NECESSARY BY THE DIRECTOR TO SECURE THE COST OF IMPROVEMENTS REQUIRED IN APPROVED PLANS: A CORPORATE BOND SHALL BE MAINTAINED AND RENEWED ANNUALLY AND SHALL BE EXECUTED BY A SURETY OR GUARANTEE COMPANY QUALIFIED TO TRANSACT BUSINESS IN THE STATE OF MARYLAND: A CASH BOND SHALL BE DEPOSITED WITH THE TREASURER OF HARFORD COUNTY, WHO SHALL GIVE HIS RECEIPT THEREFOR, RECITING THAT THE CASH HAS BEEN DEPOSITED-IN-COMPLIANCE-WITH-AND-SUBJECT-TO-THE-PROVISIONS-OF-THIS THE BOND OR APPROVED SECURITY SHALL OBLIGATE THE SECTION-PRINCIPAL, HIS EXECUTORS, ADMINISTRATORS, SUCCESSORS AND ASSIGNS, JOINTLY AND SEVERALLY WITH THE SURETY AND SHALL INURE TO THE BENEFIT OF THE COUNTY, ITS OFFICERS, EMPLOYEES AND TO ANY PERSON AGGRIEVED-BY-THE-PRINCIPAL S-FAILURE-TO-COMPLY-WITH-THE-CONDITIONS THEREOF. THE PRINCIPAL AND THE SURETY SHALL, UNDER THE BOND OR APPROVED SECURITY, CONTINUE TO BE FIRMLY BOUND UNDER A CONTINUING OBLIGATION FOR THE PAYMENT OF ALL NECESSARY COSTS AND EXPENSES OR FTABTETTES-WHICH-MAY-BE-INCURRED-OR-EXPENDED-BY-THE-DEPARTMENT-TO MEET-THE-MINIMUM-REQUIREMENTS-OF-THIS-ARTICLE:

(e) (b) THE DIRECTOR, ON PROJECTS INVOLVING A TEMPORARY STOCKPILE OF BORROW AREA, SHALL, BEFORE ISSUING A PERMIT, REQUIRE A CASH OR CORPORATE BOND OR OTHER APPROVED SECURITY IN THE FORM AND MANNER BY THE COUNTY, CONDITIONED UPON THE FAITHFUL PERFORMANCE WITHIN THE TIME SPECIFIED IN THE CONDITIONS SET FORTH WITHIN REQUIREMENTS FOR GRADING AND EXCAVATING SECTION 10-18 (h) OF THIS

29

30

31

32

ARTICLE CONCERNING COLLATERAL REQUIRED BY THIS SECTION SHALL BE TWO DOLLARS (\$2.00) PER CUBIC YARD OF MATERIAL, STOCKPILED OR BORROWED, PLUS SUCH AMOUNTS AS DEEMED NECESSARY BY THE DIRECTOR TO SECURE THE COST OF IMPROVEMENTS REQUIRED IN APPROVED PLANS, OR TO COMPLY WITH REQUIREMENTS OF A PERMANENT STOCKPILE OR BORROW AREAS AS OUTLINED IN SECTION 10-18, SUBSECTION (h), SUBPARAGRAPH (b). A CORPORATE BOND SHALL BE MAINTAINED AND RENEWED ANNUALLY AND SHALL BE EXECUTED BY A SURETY OR GUARANTEE COMPANY QUALIFIED TO TRANSACT BUSINESS IN THE STATE OF MARYLAND. A CASH BOND SHALL BE DEPOSITED WITH THE TREASURER OF HARFORD COUNTY, WHO SHALL GIVE HIS RECEIPT THEREFOR, RECITING THAT THE CASH HAS BEEN DEPOSITED IN COMPLIANCE WITH AND SUBJECT TO THE PROVISIONS OF THIS SECTION. THE BOND OR APPROVED SECURITY SHALL OBLIGATE THE PRINCIPAL, HIS EXECUTORS, ADMINISTRATORS, SUCCESSORS AND ASSIGNS, JOINTLY AND SEVERALLY WITH THE SURETY AND SHALL INURE TO THE BENEFIT OF THE COUNTY, ITS OFFICERS. EMPLOYEES AND TO ANY PERSON AGGRIEVED BY THE PRINCIPAL'S FAILURE TO COMPLY WITH THE CONDITIONS THEREOF. THE PRINCIPAL AND THE SURETY SHALL, UNDER THE BOND OR APPROVED SECURITY, CONTINUE TO BE FIRMLY BOUND UNDER A CONTINUING OBLIGATION FOR THE PAYMENT OF ALL NECESSARY COSTS AND EXPENSES OR LIABILITIES WHICH MAY BE INCURRED OR EXPENDED BY THE DEPARTMENT TO MEET THE MINIMUM REQUIREMENTS OF THIS ARTICLE.

[(b)] (d) (c) Whenever the Department shall find that a default has occurred in the performance of any term or condition of the permit or bond or other approved security, OR THE REQUIREMENTS OF SECTION 10-18, PARAGRAPH (h) OF THIS ARTICLE, written notice thereof shall be given to the principal and to the surety of the security. Such notice shall state the work to be done, the estimated cost thereof and the period of time deemed by the Department to be reasonably necessary for the completion of such work.

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

of any term or condition of the permit, bond, or other approved security, the County, the surety or any person employed or engaged on his behalf shall have the right to go upon the site to complete the required work necessary to control erosion and sedimentation or make it safe. In the event the Department undertakes the required work or makes the site safe with the funds from the forfeited cash or corporate security, such funds shall be used to pay the cost of contracting, including engineering and administration, for necessary restoration of the site to control erosion and sedimentation within the requirements of the plan, permit, bond, security or this Article. If the cost of the work necessary to control erosion and sedimentation or to make it safe exceeds the amount of security posted, the permit holder shall continue to be firmly bound under a continuing obligation for payment of all excess costs and expenses incurred by the County. The cost and expenses shall be a lien upon all property and all rights to property, real or personal, of any person liable to pay the same from and after the time said cost is due and payable. The cost shall be listed on the tax bill and shall be collected in the manner of ordinary taxes.

[(e)] (g) (f) No person shall interfere with or obstruct the ingress or egress to or from any such site or premises by an authorized representative or agent of any surety or of the

1

12 13 14

11

17 18 19

20

15

16

21 22 23

24

25 26 27

Department engaged in completing the work required to be performed under the permit or in complying with the terms or conditions thereof.

[(f)] (h) (g) The security posted shall remain in full force and effect until a completion certificate is issued pursuant to Section 10-19. A cash bond shall be returned to the depositor or to his successors or assigns upon issuance of a completion certificate for the work in accordance with Section 10-16-10-19, except any portion thereof that may have been used. Failure to maintain the above required surety shall automatically operate as a temporary revocation of any and all permits issued by Harford County to the permit holder, his successors and assigns in interest.

Section 10-[12]13. Liability Insurance.

If, in the opinion of the Director, the nature of the work is such that it may create a hazard to human life or endanger adjoining property or property at a higher or lower elevation, or any street or street improvement, or any other public property, then the Director may, before issuing the permit, require that the applicant for a permit file a certificate of insurance showing that he is insured against claims for damages for personal injury and property damage in an amount not less than twenty-five thousand dollars (\$25,000.00), including damage to the County by deposit or washing of material onto County streets or other public improvements, which may arise from or out of the performance of the work, whether such performance be by himself, his subcontractor or any person directly or indirectly employed by him, and the amount of such insurance shall be prescribed by the Director in accordance with the nature of the risks involved. insurance shall be written by a company licensed to do business in the State and approved by the County. Neither issuance of a permit nor compliance with the provisions hereto or any condition

imposed by the Department shall relieve any person from any responsibility for damage to persons or property otherwise imposed by law, nor impose any liability upon the County for damage to persons or property. Failure to maintain the required liability insurance shall automatically operate as a temporary revocation of any and all permits issued by Harford County to the permit holder, his predecessors or successors and assigns in interest.

Section 10-[13]14. Maintenance Bond.

The Director may, where he deems it necessary to protect the property or health, safety or general welfare of other persons or the public in general, required the permit holder to post a maintenance bond or other approved security in the form and manner [prescribed by] ACCEPTABLE TO the County [Attorney], for a period of twelve (12) months following the completion of the land disturbing activities for which the permit was issued. security shall cover latent defects in labor and/or material required to maintain all grade surfaces, walls, drains, dams, structures, slopes, vegetation and sediment control measures and other protective devices and damages resulting from construction equipment and vehicles doing work in that portion of the area covered by the terms of the permit. The amount of the security shall be equal to or greater than ten percent (10%) of the construction cost as determined by the Director. Section 10-[14]15. InspectionS, FREQUENCY AND REPORTS.

(a) On sites where a Public Works inspector has primary inspection responsibility for work being done, he shall also be responsible for monitoring of sediment control. However, the sediment control inspector from the Department of [Inspections, Licenses and Permits] PUBLIC WORKS shall have full sediment control enforcement responsibility on these sites, inclusive of such items as minor plan changes, violation notices, stop work orders and other enforcement procedure.

(b) No land disturbing activity shall proceed until approved by the District and/or the Department. All work shall be performed in accordance with a schedule shown on the approved plan or a revised schedule approved by the Department and the District.

- (c) THE PERMITTEE SHALL MAINTAIN A COPY OF THE APPROVED EROSION AND SEDIMENT CONTROL PLAN ON SITE.
- [(c)] (d) After commencing initial land disturbing activity, the Department shall inspect at the following stages:
- (1) Upon completion of stripping, clearing and the stockpiling of soil, but prior to related off-site land disturbing activities.
- (2) During rough grading, including hauling of imported or wasted materials.
- (3) Upon completion of rough grading, but prior to placing topsoil, permanent drainage systems, ground covers or other permanent site development improvements identified on the approved plan.
- (4) Upon completion of final grading, including established ground covers and planting, and installation of all vegetative measures and all other work in accordance with the approved plan.
- (5) ON ALL SITES WITH DISTURBED AREAS IN EXCESS OF TWO
  (2) ACRES, THE PERMITTEE SHALL REQUEST THAT THE DEPARTMENT INSPECT
  WORK COMPLETED AT THE STAGES OF CONSTRUCTION SPECIFIED BELOW TO
  ENSURE ACCORDANCE WITH THE APPROVED EROSION AND SEDIMENT CONTROL
  PLAN, THE GRADING PERMIT, AND THE PROVISIONS OF THIS ARTICLE.
- a. UPON COMPLETION OF INSTALLATION OF PERIMETER EROSION AND SEDIMENT CONTROLS, PRIOR TO PROCEEDING WITH ANY OTHER EARTH DISTURBANCE OR GRADING. OTHER BUILDING OR GRADING INSPECTION APPROVALS MAY NOT BE AUTHORIZED UNTIL INITIAL APPROVAL BY THE INSPECTION AGENCY IS MADE.

85-47 AS AMENDED

- b. UPON FINAL STABILIZATION BEFORE TO REMOVAL OF SEDIMENT CONTROLS.
- (6) EVERY ACTIVE SITE HAVING A DESIGNED EROSION AND SEDIMENT CONTROL PLAN SHALL BE INSPECTED FOR COMPLIANCE WITH THE PLAN ON THE AVERAGE ONCE EVERY TWO (2) WEEKS.
- [(d)](e) The applicant, after receiving notification of pending permit approval, based upon pre-construction conference findings, shall notify the Department not less than forty-eight (48) hours before the intended commencement of any disturbing activities. Upon receiving such notice, the Department shall schedule an on-site pre-construction conference. Upon completion of the on-site pre-construction conference, if no problems are revealed, then the grading permit will be issued and work within the scope of the permit may start.
- [(e)](f) The Department may require additional inspections as it deems appropriate, and shall have the right to waive inspections, except for the final inspections as provided in Section 10-19.
- [(f) The Department shall maintain a permanent file of its inspections.]
- (g) INSPECTORS SHALL PREPARE WRITTEN REPORTS AFTER EVERY INSPECTION. THE INSPECTION REPORT SHALL DESCRIBE:
  - (1) THE DATE AND LOCATION OF THE SITE INSPECTION;
- (2) WHETHER OR NOT THE APPROVED PLAN HAS BEEN PROPERLY IMPLEMENTED AND MAINTAINED;
- (3) ANY PRACTICE DEFICIENCIES OR EROSION AND SEDIMENT CONTROL PLAN DEFICIENCIES; AND
- (4) IF A VIOLATION EXISTS, THE TYPE OF ENFORCEMENT ACTION TAKEN.
- (h) THE DEPARTMENT SHALL NOTIFY THE ON-SITE PERSONNEL OR THE OWNER/DEVELOPER IN WRITING WHEN VIOLATIONS ARE OBSERVED, DESCRIBING:

9

13

16

21

22 23

24

25 26 27

28

29 30

31 32

(1) THE NATURE OF THE VIOLATION;

- THE REQUIRED CORRECTIVE ACTION; AND (2)
- (3) THE TIME PERIOD IN WHICH TO HAVE THE VIOLATION CORRECTED.
- THE DEPARTMENT SHALL MAINTAIN A PERMANENT FILE OF (i) INSPECTIONS AND ENFORCEMENT ACTIONS.
- When sediment control plans for land disturbing [(q)](j)activities include the use of water retention structures such as ponds, catchbasins and related facilities and when such plans show by affidavit that they have been prepared by a licensed professional engineer or land surveyor and that said licensed professional engineer or land surveyor will supervise the construction of such facilities in accordance with the provisions of such plans and regulations adopted in accordance with this Article, the Director may waive the inspections required by this section. Before the issuance of a completion certificate in accordance with Section 10-19, said licensed professional engineer or land surveyor shall certify to the Department that the facilities included on the approved plan have been constructed in accordance with said plan or modifications made thereto and approved by the Department and District.

Section 10-[15]16. INSTALLATION AND Maintenance of Structures, Measures and Devices.

- (a) ANY PERSON INVOLVED IN LAND DISTURBING ACTIVITIES SHALL INSTALL ALL EROSION AND SEDIMENT CONTROLS, STRUCTURES, PLANTINGS, VEGETATION, AND OTHER PROTECTIVE DEVICES, AS MAY BE REQUIRED BY THE APPROVED PLAN, THE PERMIT, THE FOREST HARVEST PERMIT, THE AGREEMENT, OR THE INSPECTOR, UNLESS OTHERWISE PROVIDED FOR BY THIS ARTICLE.
- (b) [The permit holders or agreement holders or the owner of any property on which work has been done pursuant to a permit or agreement granted hereunder, or any other person or agent in con-

9 10 11

trol of such property] ANY PERSON INVOLVED IN LAND DISTURBING ACTIVITIES shall maintain in good condition and promptly repair or restore all grade surfaces, walls, drains, dams and structures, plantings, vegetation, erosion and sediment control measures and other protective devices. Such repair or restoration and maintenance shall be in accordance with this Article until permanent measures are accepted by the Department.

Section 10-[16]17. Grading.

All persons desiring to grade or excavate in Harford County shall be required to follow the procedures and requirements of Title 8, Subtitle 11, Natural Resources Article, Annotated Code of Maryland, 1974 volume, as amended, the Standards and Specifications [for Soil Erosion and Sediment Control in Developing Areas (prepared by the U. S. Department of Agriculture, Soil Conservation Service dated July, 1975), as amended from time to time,] and the Maryland State [Sediment Control regulations, COMAR .09.05.01,] EROSION AND SEDIMENT CONTROL REGULATIONS, COMAR 08.05.01, as amended from time to time.

- (a) No person shall change the natural ground level of any lot or parcel in any way which results or may result in any changing of the direction, volume, distribution or velocity of the flow of surface water on or over any adjoining private or public property without obtaining the approval of the Department of Public Works and the Department of Inspections, Licenses and Permits and having been issued a valid permit to perform the proposed grading. Whenever ground and/or surface water exists on a lot or parcel, the method of disposal shall be approved by the Department-of-Public-Works-and-the-sediment-control-inspector.
- (b) Cut slopes If, when grading a lot or parcel, the new grade is lowered below the ground level of the adjoining property, the new grade shall slope at an angle less than one (1) foot

vertical to two (2) feet horizontal, to meet the grade of the adjoining property at the line. If the slope requirements stated herein cannot be met, <u>AN ALTERNATE STABILIZATION TECHNIQUE APPROVED BY THE DEPARTMENT SHALL BE USED OR</u> a retaining wall shall be built entirely on the ground of the owner causing the grading for which a building permit will be required.

- (c) Fill slopes If, when grading a lot or parcel the new grade is raised above the surface of the ground level of the adjoining property, the fill shall be sloped down to meet the existing grade on an angle less than the angle of repose of the material but not steeper than one (l) foot vertical to two (2) feet horizontal, and at no point shall the toe of the slope, plus an adequate storm drain system or swale extending to an approved termination extend beyond the adjoining property line. If the slope requirement herein cannot be met, AN ALTERNATE STABILIZATION TECHNIQUE APPROVED BY THE DEPARTMENT SHALL BE USED OR a retaining wall shall be built entirely upon the land of the owner causing the fill to be made for which a building permit will be required.
- (d) All stumps, logs and other materials subject to decay shall be removed before any fill materials are placed and no such fill material shall contain more than ten percent (10%) organic matter. However, stumps may remain in place if cut off at ground level where filling exceeds three (3) feet or more and is a minimum of twenty (20) feet from any proposed footing. On sites where buildings or other structures are to be erected, fill with greater than ten percent (10%) organic matter will be permitted in all areas a distance of forty feet (40) from any proposed footings.
- (e) In the final grading around any building, a positive grade is required away from the building and outfalling into an existing storm drain system, drainage swale or other approved suitable area. All grading shall be accomplished in such a manner

OD 4 BEAMENDED

1

8

10

11

12 13

15 16

14

17 18

20 21

19

22

23 24

25 26

27 28

29 30

31

as to prevent the ponding of surface drainage in low areas or the standing of water in stabilized areas due to the installation of gradients inadequate to carry surface drainage.

- [(f) Upon the completion of the final grading all denuded (stripped) areas with the exception of any critical areas which may require special treatment are to be stabilized with sod or seed and mulch. Stabilization of property improved with residential or commercial buildings shall be completed and approved prior to the issuance of an occupancy permit for the structure. The only exception to this requirement shall be a site completed during the winter months of the year when stabilization is impossible. In such cases the final stabilization shall be completed prior to the following April 30th.]
- [(g) The permit holder or agreement holder shall stabilize temporarily with seed and/or straw mulch all disturbed areas within thirty (30) calendar days after stripping and grading activities have ceased in that disturbed area. Areas used for stockpiling, construction access roads, driveways, parking lots, building construction areas adjacent to and within fifty feet (50) of an incomplete improvement shall be exempted from the requirement, provided these areas are designated on the approved plan, and provide erosion and sediment control measures are installed to prevent off-site sedimentation. During the months of November through February, when seeding and sodding are found to be impractical, an approved mulch, such as straw shall be applied and anchored. In such cases, seeding or other stabilization shall be completed prior to the following April 30th, if further stabilization is necessary. Temporary stabilization is not required if permanent stabilization can be applied within days (60) after stripping and grading activities have ceased, provided such areas are designated on the approved plan and erosion and sediment control measures are installed to prevent off-site sedimentation.

11

12

13

14

15

16

17

18

19 20

21

22

23 24

25

26 27

28 29

30

31 32 The permit holder or agreement holder shall stabilize permanently all disturbed area within fourteen (14) calendar days following removal of the erosion of sediment control measures or once the property is at finishing grade. When property is brought to finished grade during the months of November through February, and seeding and sodding is found to be impractical, an approved mulch such as straw shall be applied and anchored to critical areas, as appropriate. The final permanent stabilization of such property shall be completed prior to the following April 30th.]

- FOLLOWING INITIAL SOIL DISTURBANCE OR RE-DISTURBANCE, (f) THE PERMIT HOLDER, AGREEMENT HOLDER OR RESPONSIBLE PERSONNEL MUST STABILIZE EITHER PERMANENTLY OR TEMPORARILY WITHIN:
- (1) SEVEN (7) CALENDAR DAYS AS TO THE SURFACE OF ALL PERIMETER DIKES, SWALES, DITCHES, PERIMETER SLOPES, AND ALL SLOPES GREATER THAN THREE (3) HORIZONTAL TO ONE (1) VERTICAL (3:1); AND
- FOURTEEN (14) DAYS AS TO ALL OTHER DISTURBED OR GRADED AREAS ON THE PROJECT SITE.

THE REQUIREMENTS OF SUBSECTIONS 1 AND 2 ABOVE DO NOT APPLY TO THOSE AREAS WHICH ARE SHOWN DESIGNATED ON THE PLAN AND ARE CURRENTLY BEING USED FOR MATERIAL STORAGE AND FOR WHICH PERIMETER CONTROLS ARE PROVIDED, OR TO THOSE AREAS ON WHICH ACTUAL CONSTRUCTION ACTIVITIES ARE CURRENTLY BEING PERFORMED OR TO INTERIOR AREAS OF A SURFACE MINE SITE WHERE THE STABILIZATION MATERIAL WOULD CONTAMINATE THE RECOVERABLE RESOURCE. MAINTENANCE SHALL BE PERFORMED AS NECESSARY TO ENSURE THAT THE STABILIZED AREAS CONTINUOUSLY MEET THE APPROPRIATE REQUIREMENTS OF THE STANDARDS AND SPECIFICATIONS.

(q) Whenever any excavation is made at or close to an existing public right-of-way, no part of any such excavation shall extend into said street, alley or other public way without the

approval of the Department of Public Works. The sides and/or banks of any such excavation shall be supported by adequate and approved means, so that there will be no moving, settling, or caving of the same and so that there will be no damage to any paving or any surface or subsurface structures.

- (h) FOR ALL PROPOSED LAND DISTURBING ACTIVITIES REQUIRING A GRADING PERMIT, THE DEVELOPER SHALL BALANCE QUANTITIES OF EXCAVATION AND FILL. ESTIMATES OF THE QUANTITIES SHALL BE SUBMITTED PRIOR TO OR SIMULTANEOUSLY WITH PRELIMINARY PLAN APPROVAL.
- (h) FOR ALL LAND DISTURBING ACTIVITIES WHICH PROPOSE TO MOVE MORE THAN FIVE THOUSAND (5,000) CUBIC YARDS OF EARTH AND THE DISTURBED AREAS WILL BE GREATER THAN FIVE (5) ACRES, THE DEVELOPER, PRIOR TO OR SIMULTANEOUSLY TO PRELIMINARY PLAN APPROVAL, SHALL SUBMIT TO THE DEPARTMENT APPROXIMATIONS OF ALL EXCAVATIONS AND FILLS, AND SHALL SUBMIT A PLAN SHOWING ALL AREAS WHICH WILL EXCEED TEN (10) FEET IN EXCAVATION OR FILL. BALANCED EXCAVATION AND FILLS SHALL BE REQUIRED OF ALL LAND DISTURBING ACTIVITIES WHICH REQUIRE A GRADING PERMIT.
- (1) EXEMPTIONS FROM THE REQUIREMENTS OF A BALANCED EXCAVATION AND FILL WILL ONLY BE ALLOWED IF A DEVELOPMENT MEETS THE CRITERIA ESTABLISHED IN THE RULES AND REGULATIONS.
- (2) SHOULD AN EXEMPTION BE ALLOWED, TEMPORARY AND PERMANENT MATERIAL STOCKPILES OR BORROW AREAS MAY BE PERMITTED PROVIDED THEY MEET THE FOLLOWING PROVISIONS AND REQUIREMENTS.
- a. TEMPORARY STOCKPILES AND BORROW AREAS USED DURING ACTIVE CONSTRUCTION OR TO PROVIDE STORAGE OR MATERIAL BETWEEN PHASES OR CONSTRUCTION SHALL:
- 1. HAVE SLOPES NO STEEPER THAN TWO (2) FEET HORIZONTAL TO ONE (1) FOOT VERTICAL.

26

27

28

29

30 31

32

- NOT EXIST LONGER THAN TWO (2) YEARS FROM INITIAL PLACEMENT OR EXTRACTION. AN EXTENSION MAY BE REQUESTED FOR AN ADDITIONAL YEAR, PROVIDED THE ASSOCIATED BOND IS MAINTAINED AND IT CAN BE SHOWN THAT THE TEMPORARY STOCKPILE OR BORROW AREA WILL BE INCORPORATED INTO PERMANENT GRADING OR CONVERTED TO A PERMANENT STOCKPILE OR BORROW AREA WITHIN ONE (1) YEAR.
- HAVE INSTITUTED SEDIMENT CONTROLS AS REQUIRED BY AN APPROVED EROSION AND SEDIMENT CONTROL PLAN DURING ITS EXCAVATION OR PLACEMENT.
- 5. POST A PERFORMANCE BOND PRESCRIBED IN SECTION 10-12 OF THIS ARTICLE.
- SHALL HAVE LOCATION APPROVAL BY THE DEPARTMENT PRIOR TO EXCAVATION OR PLACEMENT.
  - b. PERMANENT STOCKPILES OR BORROW AREAS SHALL:
- 1. HAVE SLOPES NO STEEPER THAN FOUR (4) FEET HORIZONTAL TO ONE (1) FOOT VERTICAL.
  - NOT EXCEED FIFTEEN (15) FEET IN HEIGHT.
- BE PERMANENTLY STABILIZED WITH A LOW MAIN-TENANCE GROUND COVER.
- SHALL BE LANDSCAPED TO BLEND INTO EXISTING 4 NATURAL SURROUNDINGS. ON STOCKPILES HIGHER THAN SIX (6) FEET TALL, PLANTINGS OF PINE AND DECIDUOUS TREES EACH NOT LESS THAN THREE (3) FEET HIGH WHEN PLANTED WILL BE PROVIDED PER A LANDSCAP-ING PLAN APPROVED BY THE DEPARTMENT.
- BE PLACED IN A LOCATION APPROVED BY THE DEPARTMENT.
- 6. HAVE SEDIMENT CONTROLS INSTALLED AS REQUIRED BY AN APPROVED EROSION AND SEDIMENT CONTROL PLAN DURING PLACEMENT OR EXCAVATION.

e: EXISTING QUARRIES; SURFACE MINES; SAND AND GRAVEL PITS; RUBBLE FILLS AND LANDFILL OPERATIONS; OPERATING UNDER STATE AND LOCAL REGULATIONS SHALL BE EXEMPT FROM THE REQUIREMENTS OF THIS-PARAGRAPH:

C. QUARRIES, SURFACE MINES, SAND AND GRAVEL PITS, RUBBLE FILLS AND LANDFILL OPERATIONS OPERATING UNDER STATE AND LOCAL REGULATIONS SHALL BE EXEMPT FROM THE REQUIREMENTS OF THIS PARAGRAPH. THOSE AREAS ZONED COMMERCIAL INDUSTRIAL "CI" AND GENERAL INDUSTRIAL "GI" AS DEFINED BY HARFORD COUNTY DEVELOPMENT REGULATIONS SHALL ALSO BE EXEMPT FROM THE PROVISIONS OF THIS SUBSECTION, PROVIDED ANY STOCKPILE ESTABLISHED HAS A PERMANENT EROSION RESISTANT FORM OF STABILIZATION AND ALL SLOPES DO NOT EXCEED TWO (2) FEET HORIZONTAL TO ONE (1) FOOT VERTICAL.

d. THOSE PROJECTS HAVING PRELIMINARY PLAN APPROVAL BY
THE EFFECTIVE DATE OF THIS ARTICLE AND THOSE PROJECTS RECEIVING
PRELIMINARY PLAN APPROVAL BY APRIL 30, 1986 AND OBTAINING A
GRADING PERMIT BY OCTOBER 31, 1986 SHALL BE EXEMPT FROM THE
PROVISIONS OF THIS SUBSECTION.

Section 10-[18]19. Completion.

Immediately upon completion of the project, the permit holder shall notify the Department. The Department shall make a final inspection and shall prepare a final inspection report, a copy of which shall be submitted to the District.

If, upon final inspection of any work it is found by the Department that the work subject to inspection has been satisfactorily completed in accordance with the requirements of this Article, the permit, conditions, plans, drawings and specifications as the case may be, and the required reports have been submitted, a completion certificate covering such work shall be issued to the owner by the Department. The performance bond will be returned at this time.

85-47

AS AMENUED

Section 10-[19]20. Protection to Adjacent Property During Excavation.

 No person shall excavate on land sufficiently close to the property line of another to endanger any adjoining property, public street, sidewalk, alley or other public or private property without supporting and protecting such public street, sidewalk, alley or other property from settling, cracking or other damage which might result from excavation. If, in the opinion of the Director, the nature of the excavation is such as to create a hazard to life or property unless adequately safeguarded, the applicant shall construct such walls, fences, guard rails or other structures to safeguard the public street, sidewalk, alley or other property and persons using such, as the Director may require.

Section 10-[20]20.1. Deposits of Soils, Material or Liquid Prohibited.

(a) No person shall engage in any land disturbing activity or by any action cause or permit any soil, earth, sand, gravel, rock, stone or other material or liquid to be deposited upon or to roll, flow or wash upon or over the premises of another in a manner to cause damage to such premises without the express consent of the owner of such premises affected; no person shall engage in any land disturbing activity or by any action cause or permit any soil, earth, sand, gravel, rock, stone or other material or liquid to be deposited or to roll, flow or wash upon or over any public street, street improvement, road, sewer storm drain, watercourse or right-of-way, or any public or private property in a manner to damage or to interfere with the use of such property.

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

material or liquid is caused to be deposited upon or to roll, flow or wash upon any public or private property in violation of Subsection (a) and (b) above, the person responsible shall be notified and shall cause it to be removed from such property within thirty-six (36) hours. In the event of an immediate danger to the public health or safety, notice shall be given by the most expeditious means, and the material or liquid shall be removed immediately. In the event it is not so removed, the Department shall cause such removal, and the cost of such removal by the Department shall be paid to the County by the person who failed to so remove the material and shall be a debt due to the County. The cost of such removal shall be a lien upon all property and all rights to property, real or personal, of any person liable to pay the same from and after the time such cost is due and payable. The cost of such removal shall be listed on the tax bill and shall be collected in the manner of such taxes; provided, however, that nothing contained in this section shall be interpreted as the Department from proceeding directly with prohibiting alternative enforcement procedures set forth in Section 10-11 and 10-20.5 or declaring a forfeiture of the posted security to the extent of the cost insured by the County. Failure of the surety or permit holder from honoring the demands of the County for the costs incurred shall automatically operate as a termination of all permits issued by Harford County to the permit holder, his predecessors, successors and assigns interest.

85-47

AS AMENUED

Section 10-[21]20.2. Rules and Regulations.

- (a) The Director may establish rules and regulations for the administration of the provisions of this Article in accordance with Section 807 of the Harford County Charter, with opportunity for full participation from the recommendations from the District prior to a public hearing being held. Such rules and regulations and amendments thereto shall not conflict with nor waive any provisions of this Article nor be less restrictive than its provisions.
- (b) Regulations promulgated pursuant to this Article shall include, but not be limited to, the following provisions:
  - (1) Maximum duration of exposure.
  - (2) Protection of critical slopes.
  - (3) On-site drainage controls.
- (4) Protection of specimen trees. SECTION 10-[21.1]20.3. COMPLAINTS.

THE DEPARTMENT SHALL RECEIVE COMPLAINTS AND INITIATE ENFORCEMENT PROCEDURES WHEN VIOLATIONS ARE CONFIRMED. ANY COMPLAINT RECEIVED SHALL BE ACTED UPON ROUTINELY WITHIN THREE (3) WORKING DAYS, AND THE COMPLAINANT SHALL BE NOTIFIED OF ANY ACTION OR PROPOSED ACTION ROUTINELY WITHIN SEVEN (7) WORKING DAYS OF RECEIPT OF THE COMPLAINT.

Section 10-[22]20.4. Exemptions.

The provisions of Sections 10-12, 10-13, 10-14, and the criminal provisions of Section 10-20.5 shall not apply to municipal corporations, County or State agencies within the State or any public service company as defined in Article 78, Section 2(0) of the Annotated Code of Maryland, 1980, as amended, or any combination thereof.

Section 10-[23]20.5. Penalties.

- (a) Any person convicted of violating the provisions of this Article shall be guilty of a misdemeanor, and upon conviction thereof, shall be subject to a fine of not more than one thousand dollars (\$1,000.00) for each and every violation. Each day that the violation continues shall be a separate offense. In addition thereto, the County may institute injunctive, mandamus or any other appropriate action or proceedings at law or equity for the enforcement of this Article or to correct violations of this Article, and any court of competent jurisdiction shall have the right to issue restraining orders, temporary or permanent injunctions or mandamus or other appropriate forms of remedy or relief.
- (b) In addition to the above-enumerated penalties, the County may, if it finds a violation of this Article, withhold any building permits of the violator and/or issue stop work orders on work being done pursuant to a County building permit.
- (c) ANY AGENCY WHOSE APPROVAL IS REQUIRED UNDER THIS ORDINANCE OR ANY INTERESTED PERSON MAY SEEK INJUNCTIVE RELIEF AGAINST ANY PERSON WHO VIOLATES OR THREATENS TO VIOLATE ANY PROVISION OF THIS ARTICLE.
- (d) IN ADDITION TO ANY OTHER SANCTION UNDER THIS ORDINANCE,
  A PERSON WHO FAILS TO INSTALL OR TO MAINTAIN EROSION AND SEDIMENT
  CONTROLS IN ACCORDANCE WITH AN APPROVED PLAN SHALL BE LIABLE TO
  THE COUNTY OR THE STATE IN A CIVIL ACTION FOR DAMAGES IN AN AMOUNT
  EQUAL TO DOUBLE THE COST OF INSTALLING OR MAINTAINING THE
  CONTROLS.
- (e) IF THE COUNTY RECOVERS DAMAGES IN ACCORDANCE WITH THIS SUBSECTION SHALL DEPOSIT THEM IN A SPECIAL ESCROW ACCOUNT TO BE USED SOLELY FOR:
- (1) CORRECTING TO THE EXTENT POSSIBLE THE FAILURE TO IMPLEMENT OR MAINTAIN EROSION AND SEDIMENT CONTROLS; AND

(2) ADMINISTRATION OF THE SEDIMENT CONTROL PROGRAM. Section 2. And Be It Further Enacted, that this act is hereby declared to be an Emergency Act, necessary so that the Harford County Sediment Control Ordinance is in compliance with State law, and this act shall take effect on the date it becomes law.

EFFECTIVE: November 13, 1985

85-471

AS AMENDED

### BY THE COUNCIL

BILL NO. 85-47 (as amended)
Read the third time.
Passed LSD 85-32 (November 12, 1985) (with amendments)
Failed of Passage
By order
Angela Markovaski, Secretar
Sealed with the County Seal and presented to the County Executive
for his approval this <u>l3th</u> day of <u>November</u> , 1985
at 3:00 o'clock P.M.
Angle Markovski, Secretary  BY THE EXECUTIVE
APPROVED:  County Executive  Date //-/3-35

BY THE COUNCIL

This Bill (No. 85-47, as amended), having been approved by the Executive and returned to the Council, becomes law on November 13, 1985.

angels Markowski, Secretary

EFFECTIVE DATE: November 13, 1985